



oko - oko

průměr lana	nosnost WLL (t)
6 mm	0,40
8 mm	0,60
10 mm	0,90
12 mm	1,40
14 mm	1,80
16 mm	2,40
18 mm	3,10
20 mm	3,80
22 mm	4,60
24 mm	5,50




očnice - očnice

průměr lana	nosnost WLL (t)
6 mm	0,40
8 mm	0,60
10 mm	0,90
12 mm	1,40
14 mm	1,80
16 mm	2,40
18 mm	3,10
20 mm	3,80
22 mm	4,60
24 mm	5,50




oko - hák

průměr lana	nosnost WLL (t)
6 mm	0,40
8 mm	0,60
10 mm	0,90
12 mm	1,40
14 mm	1,80
16 mm	2,40
18 mm	3,10
20 mm	3,80
22 mm	4,60
24 mm	5,50




oko - OKO

průměr lana	nosnost WLL (t)
6 mm	0,40
8 mm	0,60
10 mm	0,90
12 mm	1,40
14 mm	1,80
16 mm	2,40
18 mm	3,10
20 mm	3,80
22 mm	4,60
24 mm	5,50




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,56	0,40
8 mm	0,84	0,60
10 mm	1,26	0,90
12 mm	1,96	1,40
14 mm	2,52	1,80
16 mm	3,36	2,40
18 mm	4,34	3,10
20 mm	5,32	3,80
22 mm	6,44	4,60
24 mm	7,70	5,50

oko - oko




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,56	0,40
8 mm	0,84	0,60
10 mm	1,26	0,90
12 mm	1,96	1,40
14 mm	2,52	1,80
16 mm	3,36	2,40
18 mm	4,34	3,10
20 mm	5,32	3,80
22 mm	6,44	4,60
24 mm	7,70	5,50

oko - očnice




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,56	0,40
8 mm	0,84	0,60
10 mm	1,26	0,90
12 mm	1,96	1,40
14 mm	2,52	1,80
16 mm	3,36	2,40
18 mm	4,34	3,10
20 mm	5,32	3,80
22 mm	6,44	4,60
24 mm	7,70	5,50

oko - hák




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,56	0,40
8 mm	0,84	0,60
10 mm	1,26	0,90
12 mm	1,96	1,40
14 mm	2,52	1,80
16 mm	3,36	2,40
18 mm	4,34	3,10
20 mm	5,32	3,80
22 mm	6,44	4,60
24 mm	7,70	5,50

oko - OKO




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,72	0,51
8 mm	1,28	0,91
10 mm	2,01	1,46
12 mm	2,89	2,07
14 mm	3,93	2,80
16 mm	5,16	3,68
18 mm	6,51	4,65
20 mm	8,05	5,75
22 mm	9,75	6,96
24 mm	11,60	8,28

oko - oko




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,72	0,51
8 mm	1,28	0,91
10 mm	2,01	1,46
12 mm	2,89	2,07
14 mm	3,93	2,80
16 mm	5,16	3,68
18 mm	6,51	4,65
20 mm	8,05	5,75
22 mm	9,75	6,96
24 mm	11,60	8,28

oko - očnice




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,72	0,51
8 mm	1,28	0,91
10 mm	2,01	1,46
12 mm	2,89	2,07
14 mm	3,93	2,80
16 mm	5,16	3,68
18 mm	6,51	4,65
20 mm	8,05	5,75
22 mm	9,75	6,96
24 mm	11,60	8,28

oko - hák




průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,72	0,51
8 mm	1,28	0,91
10 mm	2,01	1,46
12 mm	2,89	2,07
14 mm	3,93	2,80
16 mm	5,16	3,68
18 mm	6,51	4,65
20 mm	8,05	5,75
22 mm	9,75	6,96
24 mm	11,60	8,28

oko - OKO




oko - oko

průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,84	0,60
8 mm	1,26	0,90
10 mm	1,89	1,35
12 mm	2,94	2,10
14 mm	3,78	2,70
16 mm	5,04	3,60
18 mm	6,51	4,65
20 mm	7,98	5,70
22 mm	9,66	6,90
24 mm	11,55	8,25




oko - očnice

průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,84	0,60
8 mm	1,26	0,90
10 mm	1,89	1,35
12 mm	2,94	2,10
14 mm	3,78	2,70
16 mm	5,04	3,60
18 mm	6,51	4,65
20 mm	7,98	5,70
22 mm	9,66	6,90
24 mm	11,55	8,25



oko - hák

průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,84	0,60
8 mm	1,26	0,90
10 mm	1,89	1,35
12 mm	2,94	2,10
14 mm	3,78	2,70
16 mm	5,04	3,60
18 mm	6,51	4,65
20 mm	7,98	5,70
22 mm	9,66	6,90
24 mm	11,55	8,25



oko - OKO

průměr lana	nosnost WLL (t)	
	$\beta \leq 45^\circ$	$\beta \leq 60^\circ$
6 mm	0,84	0,60
8 mm	1,26	0,90
10 mm	1,89	1,35
12 mm	2,94	2,10
14 mm	3,78	2,70
16 mm	5,04	3,60
18 mm	6,51	4,65
20 mm	7,98	5,70
22 mm	9,66	6,90
24 mm	11,55	8,25